

## Classis POLYPLACOPHORA Gray J.E., 1821

Familia LEPTOCHITONIDAE Dall, 1889

- Lepidopleurus (Leptochiton) asellus* (Gmelin, 1791) [Chiton]
- Lepidopleurus (Leptochiton) algesirensis* (Capellini, 1859) [Chiton]
- Lepidopleurus (Leptochiton) bedullii* Dell'Angelo & Palazzi, 1986
- Lepidopleurus (Leptochiton) cimicoides* (Monterosato, 1879) [Chiton]
- Lepidopleurus (Leptochiton) geronensis* (Kaas & Van Belle, 1985) [Leptochiton]
- Lepidopleurus (Leptochiton) scabridus* (Jeffreys, 1880) [Chiton]
- Lepidopleurus (Leptochiton) xanthus* (Kaas & van Belle, 1990) [Leptochiton]
- Lepidopleurus (Parachiton) africanus* Nierstrasz, 1906

Familia HANLEYIIDAE Bergenhayn, 1955

- Hanleya hanleyi* (Bean in Thorpe, 1844) [Chiton]

Familia BATYCHITONIDAE Dell'Angelo & Palazzi, 1988

- Bathychiton biondii* Dell'Angelo & Palazzi, 1988

Familia ISCHNOCHITONIDAE Dall, 1889

- Ischnochiton (Ischnochiton) usticensis* Dell'Angelo & Castriota, 1999
- Ischnochiton (Stenosemus) dolii* Van Belle & Dell'Angelo, 1998
- Ischnochiton (Stenosemus) exaratus* (Sars G.O., 1878) [Lophyrus]
- Ischnochiton (Stenosemus) vanbellei* Kaas, 1985
- Ischnochiton (Haploplax) tsekosi* Koukouras and Karachle, 2004
- Callistochiton (Allerychiton) pachylasmae* (Monterosato, 1878) [Chiton]
- Callochiton calcatus* Dell'Angelo & Palazzi, 1994
- Callochiton septemvalvis* (Montagu, 1803) [Chiton]
- Lepidochitona (Lepidochitona) canariensis* (Thiele, 1909) [Trachydermon]
- Lepidochitona (Lepidochitona) caprearum* (Scacchi, 1836) [Chiton]
- Lepidochitona (Lepidochitona) cinerea* (Linné, 1767) [Chiton]
- Lepidochitona (Lepidochitona) furtiva* (Monterosato, 1879) [Chiton]
- Lepidochitona (Lepidochitona) kaasi* Carmona Zaldivar & García, 2000
- Lepidochitona (Lepidochitona) monterosatoi* Kaas & Van Belle, 1981
- Lepidochitona (Lepidochitona) severianoi* Carmona Zaldivar & García, 2000
- Chaetopleura (Chaetopleura) angulata* (Spengler, 1797) [Chiton]

Familia CHITONIDAE Rafinesque, 1815

- Chiton (Rhysoplax) phaseolinus* Monterosato, 1879
- Chiton (Tegulaplex) hululensis* (Smith E.A. in Gardiner, 1903) [Ischnochiton]

Familia ACANTHOCHITONIDAE Pilsbry, 1893

- Acanthochitona crinita* (Pennant, 1777) [Chiton]

## Classis MONOPLACOPHORA Odhner, 1940

Familia NEOPILINIDAE Knight & Yochelson, 1958

- Veleropilina reticulata* (Seguenza G. 1876) [Tectura] \*

## Classis GASTROPODA Cuvier, 1797

Familia PATELLIDAE Rafinesque, 1815

- Patella intermedia* Knapp in Murray, 1857

Familia NACELLIDAE Thiele, 1891

- Cellana rota* (Gmelin, 1791) [Patella]

Familia LEPETIDAE Gray, 1850

- Iothia fulva* (Müller O.F., 1776) [Patella]

- Propilidium pertenue* Jeffreys, 1883

- Propilidium scabrosum* Jeffreys, 1883

Familia COCCULINIDAE Dall, 1882

- Coccopigya spinigera* (Jeffreys, 1883) [Cocculina]

- Coccopigya viminensis* (Rocchini, 1990) [Cocculina]

Familia BATHYSCIADIIDAE Dautzenberg P. & Fischer H., 1900

- Bathysciadium xylophagum* Warén & Carrozza in Warén, 1996

Familia LEPETELLIDAE Dall, 1882

- Lepetella espinosae* Dantart & Luque, 1994

- Lepetella ionica* Nordsieck F., 1973

- Bogia labronica* (Bogi, 1984) [Cocculina]

Familia PSEUDOCOCCULINIDAE Hickman, 1983

- Pilus conicus* (Verrill, 1884) [Cocculina]

- Copulabyssia corrugata* (Jeffreys, 1883) [Cocculina]

Familia CHORISTELLIDAE Bouchet & Warén, 1979

*Choristella nofronii* Mac Lean, 1992

Familia FISSURELLIDAE Fleming, 1822

*Emarginula adriatica* Costa O.G., 1829

*Emarginula bonfittoi* Smriglio & Mariottini, 2001

*Emarginula christiaensi* Piani, 1984

*Emarginula divae* Van Aartsen & Carrozza, 1996

*Emarginula multistriata* Jeffreys, 1882

*Emarginula tuberculosa* Libassi, 1859

*Fissurisepta granulosa* Jeffreys, 1883

*Puncturella noachina* (Linné, 1771) [Patella]

*Puncturella picciridda* Palazzi & Villari, 2001

*Zeidora naufragia* Watson, 1883

*Diodora demartiniorum* Buzzurro & Russo, 2005

*Diodora dorsata* (Monterosato, 1878) [Fissurella]

*Diodora funiculata* (Reeve, 1850)

*Diodora producta* (Monterosato, 1880) [Fissurella]

*Diodora ruppellii* (Sowerby G.B. I, 1835) [Fissurella]

Familia SCISSURELLIDAE Gray J.E., 1847

*Anatoma affinis* (O.G.Costa, 1861) sensu Palazzi & Villari, 2001

*Anatoma umbilicata* (Jeffreys, 1883) [Scissurella]

Familia HALIOTIDAE Rafinesque, 1815

*Haliotis pustulata cruenta* Reeve, 1846

*Haliotis stomatiaeformis* Reeve, 1846

*Haliotis tuberculata coccinea* Reeve, 1846

Familia TURBINIDAE Rafinesque, 1815

*Homalopoma carmelae* Oliverio & Buzzurro, 1994

*Cantrainea peloritana* (Cantraine, 1835) [Turbo]

*Tricolia deschampsi* Gofas, 1993

*Tricolia entomocheila* Gofas, 1993

*Tricolia landini* Campani & Bogi, 2007

*Tricolia miniata* (Monterosato, 1884) [Tricolliella puntata var.]

*Tricolia punctura* Gofas, 1993

*Tricolia tingitana* Gofas, 1982

Familia TROCHIDAE Rafinesque, 1815

*Danilia costellata* (O.G.Costa, 1861) [Heliciella]

*Putzeysia wiseri* (Calcaro, 1842) [Trochus]

*Clelandella myriamae* Gofas, 2005 \*

*Gibbula (Gibbula) ardens* (Von Salis, 1793) [Trochus]

*Gibbula (Colliculus) adansonii sullioti* Monterosato, 1888

*Gibbula (Colliculus) tantilla* Monterosato, 1890

*Gibbula (Colliculus) spratti* (Forbes, 1844) [Trochus]

*Gibbula (Forskalena) tingitana* Pallary, 1901

*Gibbula (Tumulus) umbilicaris umbilicaris* (Linné, 1758) [Trochus]

*Gibbula (Tumulus) umbilicaris nebulosa* (Philippi, 1848) [Trochus]

*Osilinus lineatus* (Da Costa, 1778) [Trochus]

*Jujubinus aegeensis* Nordsieck F., 1973

*Jujubinus baudoni* (Monterosato, 1891 ex Martin H. ms.) [Trochus]

*Jujubinus catenatus* Ardvöni, 2006

*Jujubinus dispar* Curini-Galletti, 1982 ex Monterosato ms.

*Jujubinus karpathoensis* Nordsieck F., 1973

*Jujubinus ruscurianus ruscurianus* (Weinkauff, 1868) [Trochus]

*Jujubinus seguzae* Ghisotti & Melone, 1975 ex Monterosato ms.

*Jujubinus striatus delpreteanus* Sullioti, 1889

*Jujubinus tumidulus* (Aradas, 1846) [Trochus]

*Pseudominolia nedyma* (Melvill, 1897) [Minolia]

*Trochaclis versiliensis* Warén, Carrozza & Rocchini in Warén, 1992

Familia CALLIOSTOMIDAE Thiele, 1924

*Calliostoma (Calliostoma) alexandrinum* Pallary, 1912

*Calliostoma (Calliostoma) gubbioli* Nofroni, 1984

*Calliostoma (Calliostoma) laugieri spongiarum* (Bucquoy, Dautzenberg & Dollfus, 1885) [Trochus]

Familia STOMATELLIDAE Gray, 1840

*Stomatella impertusa* (Burrow, 1815) [Haliotis]

Familia SKENEIDAE Clark, 1851

*Skenea divae* Carrozza & Van Aartsen, 2001

*Skenea pelagia* Nofroni & Valenti, 1987

*Dasyskenea suavis* Fasulo & Cretella, 2003

Familia LISSOSPIRIDAE Bush, 1897

*Adeuomphalus ammoniformis* Seguenza G., 1876

*Akritogyra conspicua* (Monterosato, 1880) [Cyclostrema]

*Anekes paucistriata* Warén, 1992

*Anekes sculpturata* Warén, 1992

*Dikoleps rolani* Rubio, Dantart & Luque, 1998

*Dikoleps templadoi* Rubio, Dantart & Luque, 2004

*Dikoleps umbilicostriata* (Gaglini, 1987) [Cyclostrema]

*Granigyra granulifera* Warén, 1992

*Lissomphalia bithynoides* (Monterosato, 1880) [Cyclostrema]

*Lissotesta gittenbergeri* (Van Aartsen & Bogi, 1988) [Alvania]

*Lissotesta turrita* (Gaglini, 1987) [Cyclostrema]

*Mikro giustii* (Bogi & Nofroni, 1989) [Anekes]

*Moelleriopsis messanensis* (Seguenza G., 1876) [Cyclostrema]

*Palazzia ausoniae* (Palazzi, 1988) [Omalogyra]

*Parviturbo alboranensis* Peñas et al., 2006

*Parviturbo fenestratus* (Chaster, 1896) [Cyclostrema]

*Pseudorbis granulum* (Brugnone, 1873) [Fossarus]

*Skeneoides digeronimoi* La Perna, 1998

*Skeneoides jeffreysii* (Monterosato, 1872) [Circulus]

Familia NERITIDAE Rafinesque, 1815

*Nerita sanguinolenta* Menke, 1829

*Smaragdia souverbiana* (Montrouzier, 1863) [Neritina]

Familia CINGULOPSIDAE Fretter & Patil, 1958

*Eatonina (Coriandria) celata* (Monterosato, 1884) [Microsetia]

*Tubbreva micrometrica* (Aradas & Benoit, 1876 ex Seguenza G. ms.) [Rissoa]

Familia RISSOIDAE Gray J.E., 1847

*Rissoa auriformis auriformis* Pallary, 1904

*Rissoa fraunfeldiana* Brusina, 1868

*Rissoa multicincta* Smriglio & Mariottini, 1995

*Rissoa panhormensis* Verduin, 1985

*Rissoa parva* (Da Costa, 1778) [Turbo]

*Rissoa rodhensis* Verduin, 1985

*Alvania (Alvania) aartseni* Verduin, 1986

*Alvania (Alvania) aeoliae* Palazzi, 1988

*Alvania (Alvania) alboranensis* Peñas et al., 2006

*Alvania (Alvania) algeriana* (Monterosato, 1877) [Rissoa]

*Alvania (Alvania) bicingulata* (G. Seguenza, 1876) [Alvinia]

*Alvania (Alvania) cingulata* (Philippi, 1836) [Rissoa]

*Alvania (Alvania) clarae* Nofroni & Pizzini, 1991

*Alvania (Alvania) claudioi* Buzzurro & Landini, 2007

*Alvania (Alvania) colossophilus* Oberling, 1970

*Alvania (Alvania) corona* Nordsieck F., 1972

*Alvania (Alvania) dalmatica* Buzzurro & Prkic, 2007

*Alvania (Alvania) datchaensis* Amati & Oliverio, 1987

*Alvania (Alvania) dianensis* Oliverio, 1988

*Alvania (Alvania) dictyophora* (Philippi, 1844) [Rissoa]

*Alvania (Alvania) dipacoi* Giusti & Nofroni, 1989

*Alvania (Alvania) disparilis* Monterosato, 1890

*Alvania (Alvania) electa* (Monterosato, 1874) [Rissoa]

*Alvania (Alvania) elegantissima* (Monterosato, 1875) [Rissoa]

*Alvania (Alvania) elisae* Margelli, 2001

*Alvania (Alvania) fischeri* (Jeffreys, 1884) [Rissoa]

*Alvania (Alvania) gagliniae* Amati, 1985

*Alvania (Alvania) hallgassi* Amati & Oliverio, 1985

*Alvania (Alvania) litoralis* (Nordsieck F., 1972) [Turbona] *elegantissima* var.

*Alvania (Alvania) lucinae* Oberling, 1970

- Alvania (Alvania) oliverioi* Buzzurro, 2003  
*Alvania (Alvania) oranica* (Pallary, 1900) [Rissoa]  
*Alvania (Alvania) sculptilis* (Monterosato, 1877) [Rissoa]  
*Alvania (Alvania) sororcula* Granata-Grillo, 1877  
*Alvania (Alvania) tessellata* Weinkauff, 1868 ex Schwartz ms.  
*Alvania (Alvania) tomentosa* (Pallary, 1920) [Rissoa]  
*Alvania (Alvania) vermaasi* Van Aartsen, 1975  
*Alvania (Alvania) villarii* Micali, Tisselli & Giunchi, 2004  
*Alvania (Alvania) zylensis* Gofas & Warén, 1982  
*Bothryphallus epidauricus* (Brusina, 1866) [Cingula]  
*Cingula trifasciata* (Adams J., 1800) [Turbo]  
*Crisilla chiarellii* Cecalupo & Quadri, 1995  
*Crisilla marioni* Fasulo & Gaglini, 1987  
*Crisilla perminima* (Manzoni, 1868) [Rissoa]  
*Crisilla pseudocingulata* (Nordsieck F., 1972) [Setia]  
*Onoba aculeus* (Gould, 1841) [Cingula]  
*Onoba dimassai* Amati & Nofroni, 1980  
*Onoba gianninii* (Nordsieck F., 1974) [Setia]  
*Onoba guzmani* Hoenselaar & Moolenbeek, 1987  
*Onoba josae* Hoenselaar & Moolenbeek, 1987  
*Onoba oliverioi* Smriglio & Mariottini, 2000  
*Onoba semicostata* (Montagu, 1803) [Turbo]  
*Onoba tarifensis* Hoenselaar & Moolenbeek, 1987  
*Pseudosetia ficaratiensis* (Brugnone, 1876) [Rissoa]  
*Pusillina benzi* (Aradas & Maggiore, 1844) [Padulina]  
*Pusillina consimilis* (Monterosato, 1890) [Sabanea]  
*Pusillina diversa* (Nordsieck F., 1972) [Turboella]  
*Pusillina gemmula* (Fischer P. in De Folin, 1871) [Rissoa]  
*Pusillina testudae* Verduin, 1979  
*Pusillina turrita* Monterosato, 1890  
*Rudolphosetia fusca* (Philippi, 1841) [Setia]  
*Setia aartseni* (Verduin, 1984) [Cingula]  
*Setia ambigua* (Brugnone, 1873) [Rissoa]  
*Setia alboranensis* Peñas et al., 2006  
*Setia anselmoi* (Van Aartsen & Engl, 1999) [Cingula]  
*Setia antipolitana* (Van der Linden & Wagner, 1987) [Cingula]  
*Setia bruggeni* (Verduin, 1984) [Cingula]  
*Setia globulinus* Monterosato, 1884  
*Setia kuiperi* (Verduin, 1984) [Cingula]  
*Setia lacourtii* (Verduin, 1984) [Cingula]  
*Setia maculata* (Monterosato, 1869) [Cingula]  
*Setia microbia* Hoenselaar & Hoenselaar, 1991  
*Setia pulcherrima* (Jeffreys, 1848) [Rissoa]  
*Setia scillae* (Aradas & Benoit, 1876 ex Seguenza G. ms.) [Rissoa]  
*Setia sciutiana* (Aradas & Benoit, 1874) [Rissoa]  
*Setia slikorum* (Verduin, 1984) [Cingula]  
*Rissoina (Rissoina) spirata* (Sowerby G.B. I, 1825) [Turritella]  
*Voorwindia tiberiana* (Issel, 1869) [Cingula]  
*Zebina paivensis* (Watson, 1873) [Eulima]
- Familia ADEORBIDAE Monterosato, 1884  
*Circulus tricarinatus* (Wood, 1848) [Adeorbis]
- Familia BARLEEIDAE Gray J.E., 1857  
*Barlecia seminulum* (Monterosato, 1877) [Rissoa]
- Familia ANABATHRIDAE Coan, 1964  
*Nodulus spiralis* Van der Linden, 1986
- Familia CAECIDAE Gray M.E., 1850  
*Caecum armoricum* De Folin, 1869
- Familia ELACHISINIDAE Ponder, 1985  
*Laevipithitus verduini* Van Aartsen, Bogi & Giusti, 1989
- Familia ASSIMINEIDAE Adams H. & A., 1856  
*Assiminea cfr. grayana* Fleming, 1828  
*Paludinella littorina* (Delle Chiaje, 1828) [Helix]

Familia HYDROBIIDAE Troschel, 1857

- Hydrobia acuta* (Draparnaud, 1805) [Cyclostoma]
- Hydrobia joossei* Van Aartsen, Menkhorst & Gittenberger, 1984
- Heleobia stagnorum* (Gmelin, 1791) [Helix]
- Potamopyrgus antipodarum* (Gray, 1843)

Familia IRAVADIIDAE Thiele, 1928

- Ceratia proxima* (Forbes & Hanley, 1850 ex Alder ms.) [Rissoa]
- Hyala vitrea* (Montagu, 1803) [Turbo]

Familia PENDROMIDAE Warén, 1991

- Rugulina monterosatoi* (Van Aartsen & Bogi, 1986) [Daronia]

Familia TORNIDAE Sacco, 1896

- Tornus jullieni* Adam & Knudsen, 1969
- Tornus mienisi* Van Aartsen, Carrozza & Menkhorst, 1998
- Discopsis costulatus* De Folin, 1870

Familia CERITHIIDAE Féussac, 1819

- Cerithium egenum* Gould, 1849
- Cerithium nesioticum* Pilsbry & Vanatta, 1906
- Cerithium renovatum* Monterosato, 1884
- Cerithium vulgatum mazaravallensis* Cecalupo, 2003
- Bittium circa* Peñas et al., 2006
- Bittium incile* Watson, 1897
- Bittium simplex* (Jeffreys, 1867) [Cerithium reticulatum var.]
- Cerithidium diplax* (Watson, 1886) [Bittium]
- Cerithidium perparvulum* (Watson, 1886) [Bittium]
- Cassiella abyensis* Gofas, 1987

Familia DIALIDAE Ludbrook, 1941

- Diala varia* Adams A., 1861

Familia PLANAXIDAE Gray, 1850

- Angiola punctostriata* (Smith E.A., 1872) [Planaxis]
- Planaxis griseus* (Brocchi, 1821) [Buccinum]

Familia LITIOPIDAE Gray J.E., 1847

- Gibborissoa virgata* (Philippi, 1849) [Rissoa]

Familia OBTORTIONIDAE Thiele, 1925

- Finella pupoides* Adams A., 1860
- Clathrofenella ferruginea* (Adams A., 1860) [Dunkeria]

Familia SILIQUARIIDAE Anton, 1838

- Petalopoma elisabettae* Schiaparelli, 2002

Familia VERMETIDAE Rafinesque, 1815

- Vermetus (Vermetus) cristatus* Biondi, 1857
- Vermetus (Vermetus) rugulosus* Monterosato, 1878
- Dendropoma anguliferum* (Monterosato, 1884) [Bivonia]

Familia LITTORINIDAE Gray J.E., 1840

- Littorina (Neritrema) nervillei* Dautzenberg, 1893

Familia SKENEOPSISIDAE Iredale, 1915

- Skeneopsis sultana* Gofas, 1983

Familia STROMBIDAE Rafinesque, 1815

- Strombus (Strombus) mutabilis* Swainson, 1821 \*

Familia HIPPONICIDAE Troschel, 1861

- Sabia conica* (Schumacher, 1817) [Amalthea]

Familia VANIKORIDAE Gray J.E., 1840

- Macromphalus abyensis* Warén & Bouchet, 1988
- Megalomphalus azonus* (Brusina, 1865) [Stomatica]
- Megalomphalus petitianus* (Tiberi, 1869) [Fossarus]
- Talassia dagueneti* (De folin, 1873) [Salassia]

Familia LAMELLARIDAE D'Orbigny, 1841

- Lamellaria latens* (Müller O.F., 1776) [Bulla]

Familia VELUTINIDAE Gray, 1850

- Velutina velutina* (Müller O.F., 1776) [Bulla]

Familia CYPRAEIDAE Rafinesque, 1815

- Purpuradusta gracilis notata* (Gilli, 1858) [Cypraea]
- Palmadusta lentiginosa* (Gray, 1825) \*
- Erosaria turdus* (Lamarck, 1810) [Cypraea]

- Erronea caurica quinquefasciata* Röding, 1798 \*
- Familia TRIVIIDAE Troschel, 1863
- Trivia bitou* Pallary, 1912
  - Trivia levantina* Smriglio, Mariottini & Buzzurro, 1998
  - Trivia spongicola* Monterosato, 1923
- Familia OVULIDAE Fleming, 1822
- Simnia nicaeensis* Risso, 1826
  - Simnia purpurea* Risso, 1826
- Familia PEDICULARIIDAE Gray, 1853
- Pedicularia sicula* Swainson, 1840
- Familia NATICIDAE Forbes, 1838
- Euspira grossularia* (Marche-Marchad, 1957) [Lunatia]
  - Euspira notabilis* Jeffreys, 1885
  - Natica (Naticarius) gualteriana* Récluz, 1844
  - Cryptonatica operculata* (Jeffreys, 1885) [Natica]
  - Sinum bifasciatum* (Récluz, 1851) [Sigaretus]
- Familia TONNIDAE Suter, 1913 (1825)
- Eudolium bairdii* (Verrill & Smith, 1881) [Dolium]
  - Eudolium crosseanum* (Monterosato, 1869) [Dolium]
- Familia ATLANTIDAE Rang, 1829
- Protatlanta souleyeti* (Smith E.A., 1888) [Atlanta]
  - Atlanta brunnea* Gray, 1850
  - Atlanta helicinoides* Souleyet, 1852
  - Atlanta inclinata* Souleyet, 1852
  - Atlanta lesueurii* Souleyet, 1852
  - Atlanta peresi* Frontier, 1966
  - Atlanta peronii* Lesueur, 1817
- Familia CARINARIIDAE Blainville, 1818
- Carinaria lamarckii* Peron & Lesueur, 1810
- Familia FIROLIDAE Rang, 1829
- Firoloida desmarestia* Lesueur, 1817
- Familia CERITHIOPSISIDAE Adams H. & A., 1853
- Cerithiopsis annae* Cecalupo & Buzzurro, 2006
  - Cerithiopsis atalaya* Watson, 1874
  - Cerithiopsis contigua* Monterosato, 1878
  - Cerithiopsis corona* Gaglini, 1992
  - Cerithiopsis diadema* Monterosato, 1874 ex Watson ms.
  - Cerithiopsis greppii* Buzzurro & Cecalupo, 2004
  - Cerithiopsis horrida* Jeffreys, 1885
  - Cerithiopsis ladae* J.Prkic & G Buzzurro 2007
  - Cerithiopsis jeffreysi* Watson, 1885
  - Cerithiopsis judithae* A Reitano & G Buzzurro 2006
  - Cerithiopsis micalii* (Cecalupo & Villari, 1997) [Dizoniopsis]
  - Cerithiopsis nofronii* Amati, 1987
  - Cerithiopsis perlata* Monterosato, 1889
  - Cerithiopsis pulvis* (Issel, 1869) [Cerithium]
  - Cerithiopsis scalaris* Locard, 1892 ex. Monterosato ms.
  - Cerithiopsis pulchresculpta* Cachia, Mifsud e Sammut, 2004
  - Cerithiopsis taruelasi* Peñas et al., 2006
  - Krachia cylindrata* (Jeffreys, 1885) [Cerithium]
  - Krachia tiara* (Monterosato, 1874 ex Watson ms.) [Cerithiopsis]
  - Krachiopsis giannuzzii* Smriglio & Mariottini, 1999 in Giannuzzi-Savelli et al., 1999
  - Onchodia valeriae* (Giusti, 1987) [Cerithiopsis]
- Familia TRIFORIDAE Jousseaume, 1884
- Cerithiella metula* (Lovén, 1846) [Cerithium]
- Familia TRIPHORIDAE Gray J.E., 1847
- Cosmotriphora cfr. melanura* (C.B. Adams, 1850) [Cerithium]
  - Marshallora adversa* (Montagu, 1803) [Murex]
  - Monophorus alboranensis* Rolán & Peñas, 2001
  - Obesula marisnostri* Bouchet, 1985
  - Pogonodon pseudocanaricus* (Bouchet, 1985) [Cosmotriphora]
  - Similiphora similior* (Bouchet & Guillemot, 1978) [Triphora]

*Similiphora tricotae* Bouchet, 1996

*Strobiligeria brychia* (Bouchet & Guillemot, 1978) [Triphora]

*Strobiligeria flammulata* Bouchet & Warén, 1993

*Metaxia bacillum* (Issel, 1869) [Cerithium]

Familia EPITONIIDAE Berry S.S., 1910 (1812)

*Epitonium algerianum* (Weinkauff, 1866) [Scalaria]

*Epitonium brevissimum* (Seguenza G., 1876) [Scalaria]

*Epitonium candidissimum* (Monterosato, 1877) [Scalaria]

*Epitonium cantrainei* (Weinkauff, 1866) [Scalaria]

*Epitonium clathratulum* (Kanmacher, 1798) [Turbo]

*Epitonium dendrophylliae* Bouchet & Warén, 1986

*Epitonium hispidulum* (Monterosato, 1874) [Scalaria]

*Epitonium jolyi* (Monterosato, 1878) [Scalaria]

*Epitonium linctum* (De Boury & Monterosato, 1890) [Scalaria]

*Epitonium pseudonanum* Bouchet & Warén, 1986

*Epitonium pulchellum* (Bivona Ant., 1832) [Scalaria]

*Epitonium striatissimum* (Monterosato, 1878) [Scalaria]

*Epitonium tryoni* (De Boury, 1913) [Scala]

*Epitonium vittatum* (Jeffreys, 1884) [Scalaria]

*Acirsula subdecussata* (Cantraine, 1835) [Scalaria]

*Acriloscala lamyi* (De Boury, 1909) [Scala]

*Cirsotrema cochlea* (Sowerby G.B. II, 1844) [Scalaria]

*Claviscala richardi* (Dautzenberg & De Boury, 1897) [Scalaria]

*Cycloscalula hyalina* (Sowerby G.B. II, 1844) [Scalaria]

*Gregorioiscalula sarsi* (Kobelt, 1903) [Scalaria]

*Opalia (Nodiscala) abbotti* Clench & Turner, 1952

*Opalia (Nodiscala) hellenica* (Forbes, 1844) [Scalaria]

*Opalia (Nodiscala) fusticulus* Gaglini, 1992

*Punctiscala cerigottana* (Sturany, 1896) [Scala]

*Opaliopsis atlantis* (Clench & Turner, 1952) [Nystiella]

*Stylotrochus marshalli* (Sykes, 1925) [Cithna]

*Stylotrochus tuberatus* (Jeffreys, 1883) [Iphitus]

*Narrimania concinna* (Sykes, 1925) [Cerithiopsis]

*Papuliscala cerithielloides* Bouchet & Warén, 1986

*Papuliscala tavianii* Bouchet & Warén, 1986

Familia JANTHINIDAE Leach, 1823

*Janthina exigua* Lamarck, 1816

*Janthina janthina* (Linné, 1758) [Helix]

Familia EULIMIDAE Adams H. & A., 1853

*Eulima fuscozonata* Bouchet & Waren, 1986

*Eulima leptozona* Dautzenberg & Fischer H., 1896

*Auriculigerina miranda* Dautzenberg, 1925

*Bathyocrincola nacraensis* Peñas & Giribet, 2003

*Campylorhaphion famelicum* (Watson, 1883) [Eulima]

*Crinophtheiros comatulicula* (Graff, 1875) [Eulima]

*Crinophtheiros giustii* Gaglini, 1991

*Curveulima beneitoi* Peñas et al., 2006

*Curveulima dautzenbergi* (Pallary, 1900) [Eulima]

*Curveulima devians* (Monterosato, 1884) [Vitreolina]

*Fusceulima minuta* (Jeffreys, 1884) [Eulima]

*Fusceulima lineata* (Monterosato, 1869) [Aclis]

*Haliella stenostoma* (Jeffreys, 1858) [Eulima]

*Halielloides fragilis* Bouchet & Warén, 1986

*Melanella alba* (Da Costa, 1778) [Strombiformis]

*Melanella compactilis* (Sykes, 1903) [Acicularia]

*Melanella doederleini* (Brusina, 1886) [Eulima]

*Melanella frielei* (Jordan, 1895) [Eulima]

*Melanella glypta* Bouchet & Warén, 1986

*Melanella microsculpta* Bouchet & Warén, 1986

*Melanella monterosatoi* (Monterosato, 1890 ex De Boury ms.) [Acicularia]

*Melanella petitiana* (Brusina, 1869) [Eulima]

*Melanella praecurta* (Pallary, 1904) [Eulima]

- Melanella spiridioni* (Dautzenberg & Fischer H., 1896) [Eulima]  
*Melanella stalioi* (Brusina, 1869) [Eulima]  
*Melanella translucens* (Brusina in Monterosato, 1890) [Acicularia]  
*Nanobalcis nana* (Monterosato, 1878) [Eulima]  
*Oceanida confluens* Bouchet & Warén, 1986  
*Pelseneeria minor* Koehler & Vaney, 1908  
*Sabinella bonifaciae* Nordsieck, 1974  
*Sticteulima lentiginosa* (Adams A., 1861) [Eulima]  
*Vitreolina antiflexa* Monterosato, 1884  
*Vitreolina cionella* Monterosato, 1878  
*Vitreolina curva* (Monterosato, 1874 ex Jeffreys ms.) [Eulima]  
*Vitreolina levantina* Oliverio, Buzzurro & Villa, 1994  
*Vitreolina perminima* (Jeffreys, 1883) [Eulima]
- Familia ENTOCONCHIDAE Gill, 1871  
*Entoconcha mirabilis* Müller, 1852
- Familia ACLIDIDAE Sars G.O., 1878  
*Aclis ascaris* (Turton, 1819) [Turbo]  
*Aclis attenuans* Jeffreys, 1883  
*Aclis gulsonae* (Clark W., 1850) [Chemnitzia]  
*Aclis minor* (Brown, 1827) [Turritella]  
*Aclis trilineata* Watson, 1897
- Familia MURICIDAE Rafinesque, 1815  
*Murex (Murex) forskohlii* Röding, 1798  
*Hexaplex (Trunculariopsis) pecchiolianus* (D'Ancona, 1871) [Murex]  
*Aspella anceps* (Lamarck, 1822) [Ranella]  
*Ocinebrina aciculata exilis* Houart, 2001  
*Ocinebrina helleri* (Brusina, 1865) [Fusus]  
*Ocinebrina hispidula* (Pallary, 1904) [Hispidula]  
*Ocinebrina hybrida* (Aradas & Benoit, 1876) [Murex]  
*Ocinebrina ingloria* (Crosse, 1865) [Murex]  
*Ocinebrina nicolai* Monterosato, 1884  
*Ocinebrina paddeui* G. Bonomo e G. Buzzurro, 2006  
*Muricopsis cevikeri* Houart, 2000  
*Thais lacera* (Born, 1778) [Murex]  
*Thais sacellum* (Gmelin, 1791) [Murex]  
*Ergalatax obscura* Houart, 1996  
*Trophonopsis alboranensis* Smriglio, Mariottini & Bonfitto, 1997  
*Trophonopsis barvicensis* (Johnston, 1825) [Fusus]  
*Trophonopsis breviatus* (Jeffreys, 1882) [Trophon]  
*Trophonopsis droueti* cfr. (Dautzenberg, 1889) [Trophon]
- Familia CORALLIOPHILIDAE Chenu, 1859  
*Coralliophila africana* Smriglio & Mariottini, 2001  
*Coralliophila richardi* (Fischer P., 1882) [Murex]  
*Coralliophila sofiae* (Aradas & Benoit, 1876) [Murex]  
*Coralliophila trigoi* Mariottini, Smriglio, Rolan, 2005  
*Babelomurex cariniferus* (G.B. Sowerby, 1834) [Murex]  
*Babelomurex gilli* Kosuge, 1990  
*Babelomurex sentix* (Bayer, 1971) [Coralliophila]
- Familia BUCCINIDAE Rafinesque, 1815  
*Colus jeffreysianus* (Fischer P., 1868) [Fusus]  
*Kryptos koehleri* (Locard, 1896) [Pleurotomella]  
*Chauvetia candidissima* (Philippi, 1836) [Buccinum]  
*Chauvetia decorata* Monterosato, 1889  
*Chauvetia giunchiorum* Micali, 1999  
*Chauvetia lefebvrei* (Maravigna, 1840) [Buccinum]  
*Chauvetia lineolata* (Tiberi, 1868) [Nesaea]  
*Chauvetia mamillata* (Risso, 1826) [Lachesis]  
*Chauvetia procerula* Monterosato, 1889  
*Chauvetia recondita* (Brugnone, 1873) [Lachesis]  
*Chauvetia retifera* (Brugnone, 1880) [Lachesis]  
*Chauvetia submamillata* (Bucquoy, Dautzenberg & Dollfus, 1882) [Donovania minima var.]  
*Chauvetia tenuisculpta* Dautzenberg, 1913

- Chauvetia ventrosa* Nordsieck F., 1976
- Pollia scabra* Locard, 1886
- Familia COLUMBELLIDAE Swainson, 1840
- Anachis (Anachis) aliceae* (Pallary, 1900) [Columbella]
  - Zafra savignyi* (Moazzo, 1939 ex Jousseaume ms.) [Anachis] \*
  - Mitrella coccinea* (Philippi, 1836) [Buccinum linnaei var.]
  - Mitrella lanceolata* (Locard, 1886) [Columbella]
  - Mitrella pallaryi* (Dautzenberg, 1927) [Pyrene]
- Familia NASSARIIDAE Iredale, 1916
- Nassarius (Nassarius) arcularius plicatus* (Röding, 1798) [Distorsio]
  - Nassarius (Nassarius) elatus* (Gould, 1845) [Nassa]
  - Nassarius (Nassarius) heynemannii* (Von Maltzan, 1884) [Nassa]
  - Nassarius (Nassarius) macrodon recidivus* (Von Martens, 1876) [Nassa semistriatus var.]
  - Nassarius (Nassarius) vaucherii* (Pallary, 1906) [Nassa]
  - Nassarius (Aciculina) johni* (Monterosato, 1889) [Nassa]
  - Nassarius (Aciculina) tingitanus* (Pallary, 1901) [Nassa]
  - Nassarius (Gussonea) pfeifferi* (Philippi, 1844) [Buccinum]
  - Nassarius (Hima) coralligenus* (Pallary, 1900) [Nassa]
  - Nassarius (Hinia) reticulatus* (Linné, 1758) [Buccinum]
  - Nassarius (Hinia) wolffi* (Knudsen, 1956) [Nassa]
  - Nassarius (Niota) denticulatus* (Adams A., 1851) [Nassa]
  - Nassarius (Telasco) unifasciatus* (Kiener, 1835) [Buccinum]
  - Demoulia obtusata* (Link, 1807) [Buccinum]
- Familia FASCIOLARIIDAE Gray J.E., 1853
- Fusinus alternatus* Settepassi, 1985 ex Monterosato in Schedis
  - Fusinus crassus* (Pallary, 1901) [Fusus]
  - Fusinus dimassai* Buzzurro & Russo, 2006
  - Fusinus dimitrii* Buzzurro & Ovalis, 2006
  - Fusinus eviae* Buzzurro & Russo, 2006
  - Fusinus labronicus* (Monterosato, 1884) [Pseudofusus]
  - Fusinus margaritae* Buzzurro & Russo, 2006
  - Fusinus profetai* Nofroni, 1982
  - Fusinus rolani* Buzzurro & Ovalis, 2005
  - Fusinus verrucosus* (Gmelin, 1791) [Murex]
- Familia CYSTISCIDAE Stimpson, 1865
- Gibberula caelata* (Monterosato, 1877) [Marginella]
  - Gibberula jansseni* Van Aartsen, Menkhorst & Gittenberger, 1984
  - Gibberula oryza* (Lamarck, 1822) [Volvaria]
  - Gibberula recondita* Monterosato, 1844
  - Gibberula secreta* Monterosato, 1889
  - Gibberula simonae* Smriglio, 2003
  - Gibberula turgidula* (Locard & Caziot, 1900) [Marginella]
  - Granulina boucheti* Gofas, 1992
  - Granulina gofasi* Smriglio & Mariottini, 1997
  - Granulina gubbioli* Smriglio & Mariottini, 1999
  - Granulina guttula* La Perna, 1998
  - Granulina melitensis* Smriglio, Mariottini & Rufini, 1998
  - Granulina minusculina* (Locard, 1897) [Volutella]
  - Granulina pusaterii* Smriglio & Mariottini, 2003
  - Granulina tenuilabiata* La Perna, 1999
  - Granulina torosa* Gofas, 1992
  - Granulina vanharenii* (Van Aartsen, Menkhorst & Gittenberger, 1984) [Cypraeolina]
- Familia COSTELLARIIDAE Mac Donald, 1860
- Vexillum (Pusia) granum* (Forbes, 1843) [Mitra]
  - Vexillum (Pusia) hypatiae* (Pallary, 1912) [Mitra]
- Familia CANCELARIIDAE Forbes & Hanley, 1851 \*
- Tribia coronata* Scacchi, (1835) [Cancellaria] \*
  - Axelella minima* (Reeve, 1856) [Cancellaria]
- Familia TURRIDAE Swainson, 1840
- Haedropleura flexicosta* Monterosato, 1884
  - Micropleurotoma spirotropoides* (Thiele, 1925) [Pleurotoma]
  - Fusiturris undarituga* (Bivona Ant. in Bivona And., 1838) [Pleurotoma]

Familia CONIDAE Fleming, 1822

- Brachycythaera beatriceae* Mariottini, 2007  
*Typhlomangelia nivalis* (Lovén, 1846) [Pleurotoma]  
*Comarmondia inflata* (De Cristofori & Jan, 1832) [Pleurotoma]  
*Comarmondia stria* (Calcara, 1839) [Pleurotoma]  
*Aphanitoma mariottinii* Smriglio, Rufini & Martin Peréz, 2001  
*Corinnaeturris leucomata* (Dall, 1881) [Pleurotoma]  
*Mitromorpha (Mitrolumna) mediterranea* Mifsud, 2001  
*Mitromorpha (Mitrolumna) melitensis* (Mifsud, 1993) [Mitrolumna]  
*Mitromorpha (Mitrolumna) wilheminae* (Van Aartsen, Menkhorst & Gittenberger, 1984) [Mitrolumna]  
*Drilliola emendata* (Monterosato, 1872) [Pleurotoma]  
*Mangelia atlantica* (Pallary, 1920) [Mangilia]  
*Mangelia bertrandii* (Payraudeau, 1826) [Pleurotoma]  
*Mangelia brusinae* Van Aartsen & Fehr de Wal, 1978 ex Monterosato ms.  
*Mangelia callosa* (Nordsieck F., 1977) [Cythara]  
*Mangelia derelicta* Reeve, 1846  
*Mangelia difficilis* (Locard & Caziot, 1900) [Mangilia]  
*Mangelia farina* (Nordsieck, 1977) [Cythara]  
*Mangelia fieldeni* (Van Aartsen & Fehr de Wal, 1978 ex Monterosato ms.) [Mangiliella]  
*Mangelia goodallii* Reeve, 1846 ex Gray J.E. ms.  
*Mangelia jherbaensis* Della Bella & Spada in Chirli, 1997  
*Mangelia melitensis* Cachia & Mifsud, 2008  
*Mangelia nuperrima* (Tiberi, 1855) [Pleurotoma]  
*Mangelia payraudeaui* (Deshayes, 1835) [Pleurotoma]  
*Mangelia pontica* Milaschewitch, 1908  
*Mangelia scabrida* Monterosato, 1890  
*Mangelia secreta* (Van Aartsen & Fehr de Wal, 1978 ex Monterosato ms.) [Mangiliella]  
*Mangelia serga* (Dall, 1881) [Pleurotoma]  
*Mangelia sicula* Reeve, 1846  
*Mangelia striolata* (Risso, 1826) [Murex]  
*Mangelia tenuicostata* (Brugnone, 1868) [Pleurotoma attenuatum var.]  
*Bela cycladensis* (Reeve, 1845) [Pleurotoma]  
*Bela decussata* (Locard, 1897) [Raphitoma]  
*Bela fuscata* (Deshayes, 1835) [Pleurotoma]  
*Bela mingoranceae* Martín Pérez & Vera-Pelàez, 2006 \*  
*Bela oceanica* (Locard, 1897) [Raphitoma]  
*Bela ornata* (Locard, 1897) [Raphitoma]  
*Bela septenvillei* (Dautzenberg, 1913 ex Monterosato ms.) [Raphitoma nebula var.]  
*Bela taprurensis* (Pallary, 1904) [Ginnania]  
*Bela zenetouae* (Van Aartsen, 1988) [Fehria]  
*Benthomangelia macra* (Watson, 1881) [Pleurotoma]  
*Clathromangelia loiselieri* Oberling, 1970  
*Lienardia mighelsi* Iredale & Tomlin, 1917  
*Conopleura aliena* Smriglio, Mariottini & Calascibetta, 1998  
*Gymnobela abyssorum* (Locard, 1897) [Bela]  
*Gymnobela subaraneosa* (Dautzenberg & Fischer H., 1896) [Pleurotoma]  
*Lusanops cingulata* Bouchet & Warén, 1980  
*Lusanops hyalooides* (Dautzenberg, 1925) [Pleurotoma]  
*Pleurotomella coeloraphe* (Dautzenberg & Fischer H., 1896) [Pleurotoma]  
*Pleurotomella demosia* (Dautzenberg & Fischer H., 1896) [Pleurotoma]  
*Pleurotomella eurybrocha* (Dautzenberg & Fischer H., 1896) [Pleurotoma]  
*Pleurotomella gibbera* Bouchet & Warén, 1980 ex Jeffreys ms.  
*Pleurotomella packardi* Verrill, 1872  
*Raphitoma aequalis* (Jeffreys, 1867) [Defrancia linearis var.]  
*Raphitoma alternans* (Monterosato, 1884) [Philbertia]  
*Raphitoma arnoldi* (Pallary, 1904) [Clathrurella]  
*Raphitoma atropurpurea* (Locard & Caziot, 1900 ex Monterosato ms.) [Clathrurella]  
*Raphitoma bofilliana* (Sulliotti, 1889) [Philbertia]  
*Raphitoma bracteata* (Pallary, 1904) [Homotoma]  
*Raphitoma cfr. nivea* (Marshall in Sykes, 1906) [Clathrurella]  
*Raphitoma contigua* (Monterosato, 1884) [Philbertia]  
*Raphitoma corbis* (Potiez & Michaud, 1838) [Pleurotoma]

- Raphitoma cylindracea* (Locard & Caziot, 1900) [Clathrurella]  
*Raphitoma densa* (Monterosato, 1884) [Philbertia]  
*Raphitoma divae* Carrozza, 1984  
*Raphitoma fallax* Forbes, 1844  
*Raphitoma intermedia* Nordsieck F., 1977  
*Raphitoma lineolata* (Bucquoy, Dautzenberg & Dollfus, 1883)  
*Raphitoma mirabilis* (Pallary, 1904) [Homotoma]  
*Raphitoma neapolitana* Nordsieck F., 1977  
*Raphitoma nivea* (Marshall in Sykes, 1906) [Clathrurella]  
*Raphitoma papillosa* (Pallary, 1904) [Philbertia]  
*Raphitoma philberti* (Michaud, 1829) [Pleurotoma]  
*Raphitoma pruinosa* (Pallary, 1906) [Philbertia]  
*Leufroyia concinna* (Scacchi, 1836) [Pleurotoma]  
*Leufroyia erronea* Monterosato, 1884  
*Leufroyia volutella* (Kiener, 1839 ex Valenciennes ms.) [Pleurotoma]  
*Xanthodaphne dalmasi* (Dautzenberg & Fischer H., 1897) [Pleurotoma]  
*Taranis laevisculpta* Monterosato, 1880  
*Taranis moerchi* (Malm, 1863) [Trophon]  
*Conus desidiosus* Adams A., 1854  
*Conus fumigatus* Hwass in Bruguiere, 1792  
*Conus vayssierei* Pallary, 1906  
Familia RISSOELLIDAE Gray M.E., 1850  
*Rissoella diaphana* (Alder, 1848) [Rissoa]  
*Rissoella globularis* (Forbes & Hanley, 1853) [Jeffreysia]  
*Rissoella opalina* (Jeffreys, 1848) [Rissoa]  
Familia OMALOGYRIDAE Sars G.O., 1878  
*Omalogyra simplex* (Costa O.G., 1861) [Ammonicerina]  
*Ammonicera fischeriana* (Monterosato, 1869) [Homalogrya]  
Familia CIMIDAE Warén, 1993  
*Cima cuticulata* Warén, 1993  
*Cima cylindrica* (Jeffreys, 1856) [Jeffreysia]  
*Cima melitensis* Mifsud, 1998  
*Cima minima* (Jeffreys, 1858) [Odostomia]  
*Graphis albida* (Kanmacher, 1798) [Turbo]  
*Graphis barashi* Van Aartsen, 2002  
*Cioniscus gracilis* Monterosato, 1874 ex Jeffreys ms.  
*Cioniscus striatus* Jeffreys, 1884  
Familia XYLODISCULIDAE  
*Xylodiscula boucheti* Warén, Carrozza & Rocchini in Warén, 1992  
*Xylodiscula lens* Warén, 1992  
*Xylodiscula wareni* Bogi & Bartolini, 2008  
Familia CORNIROSTRIDAE Ponder, 1990  
*Tomura depressa* (Granata-Grillo, 1877) [Oxystele]  
Familia HYALOGYRINIDAE Warén & Bouchet, 1993  
*Hyalogyra zibrowii* Warén, 1997  
*Xenoskenea pellucida* (Monterosato, 1874) [Skenea]  
Familia ARCHITECTONICIDAE Gray, 1850  
*Discotectonica discus* (Philippi, 1844) [Solarium]  
*Solatisonax alleryi* (Seguenza G., 1876) [Solarium]  
*Solatisonax bannocki* (Melone & Taviani, 1980) [Architectonica]  
*Heliacus (Gyriscus) jeffreysianus* (Tiberi, 1867) [Gyriscus]  
*Heliacus (Redivivus) contextus* (Seguenza L., 1902) [Solarium]  
*Pseudomalaxis zancleus* (Philippi, 1844) [Bifrontia]  
*Spirolaxis clenchi* Jaume & Borro, 1946  
*Spirolaxis lamellifer* (Rehder, 1935) [Pseudomalaxis]  
Familia MATHILDIDAE Dall, 1889  
*Mathilda barbadensis* Dall, 1889  
*Mathilda coronata* Monterosato, 1875  
*Mathilda gemmulata* Semper, 1865  
*Mathilda quadricarinata* (Brocchi, 1814) [Turbo]  
*Mathilda retusa* Brugnone, 1873  
*Tuba jeffreysi* (Dall, 1889) [Mathilda]

Familia PYRAMIDELLIDAE Gray J.E., 1840

- Eulimella ataktos* Warén, 1991  
*Eulimella bogii* Van Aartsen, 1994  
*Eulimella carminae* Peñas & Micali, 1999  
*Eulimella cerullii* (Cossmann, 1915) [Syrniola]  
*Eulimella cossignaniorum* Van Aartsen, 1994  
*Eulimella neoattenuata* Gaglini, 1992  
*Eulimella oliveri* Peñas et al., 2006  
*Eulimella perangusta* Gaglini, 1992  
*Eulimella subcylindrata* (Dunker in Weinkauff, 1862)  
*Eulimella superflua* (Monterosato, 1875) [Odostomia]  
*Eulimella turris* (Forbes, 1844) [Parthenia]  
*Eulimella unifasciata* (Forbes, 1844) [Eulima]  
*Bacteridium carinatum* (De Folin, 1870) [Eulimella]  
*Puposyrnola minuta* (Adams H., 1869) [Syrnola]  
*Tiberia minuscula* (Monterosato, 1880) [Pyramidella]  
*Tiberia octaviana* (Di Geronimo, 1973) [Pyramidella]  
*Odostomia* (*Odostomia*) *aartseni* Nofroni, 1988  
*Odostomia* (*Odostomia*) *acuta* Jeffreys, 1848  
*Odostomia* (*Odostomia*) *angusta* Jeffreys, 1867  
*Odostomia* (*Odostomia*) *carrozzai* Van Aartsen, 1987  
*Odostomia* (*Odostomia*) *imponderabilior* Oberling, 1970  
*Odostomia* (*Odostomia*) *megerlei* (Locard, 1886) [Ptychostomon]  
*Odostomia* (*Odostomia*) *nardoii* Brusina, 1869  
*Odostomia* (*Odostomia*) *silesui* Nofroni, 1988  
*Odostomia* (*Odostomia*) *sorianoi* Peñas et al., 2006  
*Odostomia* (*Odostomia*) *striolata* Forbes & Hanley, 1850  
*Odostomia* (*Odostomia*) *suboblonga* Jeffreys, 1884  
*Odostomia* (*Odostomia*) *unidentata* (Montagu, 1803) [Turbo]  
*Odostomia* (*Auristomia*) *barashi* (Bogi & Galil, 1999)  
*Odostomia* (*Auristomia*) *erjaveciana* Brusina, 1869  
*Odostomia* (*Auristomia*) *ignorata* (Monterosato, 1917) [Auristomia]  
*Odostomia* (*Auristomia*) *nofronii* Buzzurro, 2001  
*Odostomia* (*Auristomia*) *rutor* Nofroni & Schander, 1993  
*Odostomia* (*Megastomia*) *conspicua* Alder, 1850  
*Odostomia* (*Megastomia*) *lorioli* (Hornung & Mermod, 1924) [Syrniola]  
*Odostomia* (*Megastomia*) *sicula* Philippi, 1851  
*Brachystomia improbabilis* Oberling, 1970  
*Brachystomia lorellae* (Micali, 1987) [Odostomia]  
*Chrysallida angulosa* (Monterosato, 1889) [Pyrgulina]  
*Chrysallida brattstroemi* Warén, 1991  
*Chrysallida brevicula* (Jeffreys, 1883) [Odostomia]  
*Chrysallida clathrata* (Jeffreys, 1848) [Odostomia]  
*Chrysallida dentata* (Nordsieck, 1972)  
*Chrysallida dollfusi* (Kobelt, 1903) [Parthenia]  
*Chrysallida eximia* (Jeffreys, 1849) [Rissoa]  
*Chrysallida fenestrata* (Jeffreys, 1848) [Odostomia]  
*Chrysallida fischeri* (Hornung & Mermod, 1925) [Pyrgulina]  
*Chrysallida incerta* (Milaschewitch, 1916) [Parthenia]  
*Chrysallida interstincta* (Adams J., 1797) [Turbo]  
*Chrysallida juliae* (De Folin, 1872) [Truncatella]  
*Chrysallida limitum* (Brusina, 1876) [Turbonilla]  
*Chrysallida marthinae* Nofroni & Schander, 1993  
*Chrysallida monozena* (Brusina, 1869) [Odostomia]  
*Chrysallida monterosatii* (Clessin, 1900) [Parthenia]  
*Chrysallida moolenbeeki* Amati, 1987  
*Chrysallida multicostata* (Jeffreys, 1884) [Odostomia]  
*Chrysallida nivosa* (Montagu, 1803) [Turbo]  
*Chrysallida palazzii* Micali, 1984  
*Chrysallida pellucida* (Dillwyn, 1817) [Voluta]  
*Chrysallida penchynati* (Bucquoy, Dautzenberg & Dollfus, 1883) [Odostomia]  
*Chrysallida pirinthella* (Melvill, 1910) [Pyrgulina]

- Chrysallida pontica* Grossu, 1986  
*Chrysallida rinaldii* Micali & Nofroni, 2004  
*Chrysallida sigmoidea* (Monterosato, 1880) [Odostomia]  
*Chrysallida simulans* (Chaster, 1898) [Pyrgulina indistincta var.]  
*Chrysallida stefanisi* (Jeffreys, 1869) [Rissoa]  
*Folinella ghisottii* Van Aartsen, 1984  
*Cingulina isseli* Tryon, 1886  
*Liostomia afzelii* Warén, 1991  
*Liostomia clavula* (Lovén, 1846) [Turbonilla]  
*Liostomia hansgei* Warén, 1991  
*Liostomia mamoi* Mifsud, 1993  
*Odostomella bicineta* (Tiberi, 1868) [Odostomia]  
*Odostomella jeffreysiana* (Monterosato, 1884 ex Seguenza G. ms.) [Trabecula]  
*Ondina anceps* Gaglini, 1992  
*Ondina crystallina* Locard, 1892  
*Ondina dilucida* (Monterosato, 1884) [Odostomia]  
*Ondina divisa* (J. Adams, 1797) [Turbo]  
*Ondina monterosatoi* (Granata-Grillo, 1877)  
*Ondina obliqua* (Alder, 1844) [Odostomia]  
*Ondina vitrea* (Brusina, 1866) [Monoptygma]  
*Ondina warreni* (Thompson, 1845) [Rissoa]  
*Miralda elegans* (De Folin, 1870) [Mathilda]  
*Iolaea neofelixoides* (Nomura, 1936) [Kleinella]  
*Noemiamea dolioliformis* (Jeffreys, 1848) [Odostomia]  
*Hinemoa cylindrica* (De Folin, 1879) [Jaminea]  
*Oscilla jocosa* Melvill, 1904  
*Styloptygma beatrix* Melvill, 1911  
*Syrnola cinctella* Adams A., 1860  
*Syrnola fasciata* Jickeli, 1882  
*Syrnola wenzi* Nordsieck F., 1972  
*Turbonilla abrardi* Fischer & Nicklès, 1946  
*Turbonilla acuta* (Donovan, 1804) [Turbo]  
*Turbonilla acutissima* Monterosato, 1884  
*Turbonilla amoena* (Monterosato, 1884) [Odostomia]  
*Turbonilla edgari* (Melvill, 1896) [Pyrgulina]  
*Turbonilla fulgidula* (Jeffreys, 1884) [Odostomia]  
*Turbonilla gradata* Bucquoy, Dautzenberg & Dollfus, 1883  
*Turbonilla guernei* Dautzenberg, 1889  
*Turbonilla hamata* Nordsieck F., 1972  
*Turbonilla internodula* (Wood S., 1848) [Chemnitzia]  
*Turbonilla magnifica* (Seguenza G., 1879) [Odostomia]  
*Turbonilla micans* (Monterosato, 1875) [Odostomia]  
*Turbonilla multilirata* (Monterosato, 1875) [Odostomia]  
*Turbonilla obliquata* (Philippi, 1844) [Chemnitzia]  
*Turbonilla paucistriata* (Jeffreys, 1884) [Odostomia]  
*Turbonilla postacuticostata* Sacco, 1892  
*Turbonilla pseudogradata* Nordsieck F., 1972  
*Turbonilla pumila* Seguenza G., 1876  
*Turbonilla pusilla* (Philippi, 1844) [Chemnitzia]  
*Turbonilla rectogallica* Sacco, 1892  
*Turbonilla rosewateri* Corgan & Van Aartsen, 1993  
*Turbonilla sinuosa* (Jeffreys, 1884) [Odostomia]  
*Turbonilla subulina* Monterosato, 1889  
*Turbonilla syrtensis* Van Aartsen, 1981  
*Careliopsis modesta* (De Folin, 1870) [Dunkeria]  
*Kejdonia cachiae* (Mifsud, 1998) [Pseudographis]  
*Monotyigma lauta* (A. Adams, 1853) [Monoptygma]
- Familia AMATHINIDAE Ponder, 1988
- Amathina tricarinata* (Linné, 1767) [Patella]  
*Leucotina eva* cf. Thiele, 1925  
*Leucotina natalensis* Smith, 1910
- Familia EBALIDAE Warén, 1995

- Ebala eulimoides* Feki, 1969  
*Ebala gracillima* (De Folin, 1869) [Eulimella]  
*Ebala pointeli* (De Folin, 1867) [Turbonilla]  
*Ebala striatula* (Jeffreys, 1856) [Eulimella]  
*Ebala trigonostoma* (De Folin, 1869) [Eulimella]  
*Murchisonella columna* (Hedley, 1907) [Eulimella]
- Familia TJAERNOEIDAE Warén, 1991  
*Tjaernoeia exquisita* (Jeffreys, 1883) [Adeorbis]  
*Tjaernoeia imperspicua* (Chaster, 1895) [Adeorbis]  
*Tjaernoeia unisulcata* (Chaster, 1896) [Aderpbis]
- Familia ORBISTELLIDAE Iredale, 1917  
*Lurifax vitreus* Warén & Bouchet, 2001
- Familia ACTEONIDAE D'Orbigny, 1835  
*Acteon monterosatoi* Dautzenberg, 1889  
*Acteon semistriatus* (Basterot, 1825 ex Defrance)  
*Callostracon tyrrhenicum* Smriglio & Mariottini, 1996  
*Crenilabium exile* (Jeffreys, 1870 ex Forbes ms.) [Acteon]  
*Japonacteon pusillus* (Mac Gillivray, 1843) [Tornatella]  
*Liocarenus globulinus* (Forbes, 1844) [Tornatella]
- Familia RINGICULIDAE Philippi, 1853  
*Ringicula ciommei* Mariottini, Smriglio & Oliverio, 2000
- Familia CYLICHNIDAE Adams H. & A., 1854  
*Scaphander gracilis* Watson, 1886  
*Scaphander punctostriatus* (Mighels & Adams, 1842) [Bulla]  
*Acteocina mucronata* (Philippi, 1849) [Bulla]  
*Acteocina pontica* Grossu, 1986  
*Cylichna alba* (Brown, 1827) [Volvaria]  
*Cylichna parvula* Jeffreys, 1883  
*Roxania monterosatoi* Dautzenberg & Fischer H., 1896  
*Roxania pinguicola* (Seguenza G., 1880 ex Jeffreys ms.) [Bulla]  
*Roxania semilaevis* (Seguenza G., 1880) [Bulla]
- Familia PHILINIDAE Gray, 1850  
*Philine angulata* Jeffreys, 1867  
*Philine catena* (Montagu, 1803) [Bulla]  
*Philine condensa* Van der Linden, 1995  
*Philine denticulata* (Adams J., 1800) [Bulla]  
*Philine intricata* Monterosato, 1884  
*Philine iris* Tringali, 2001  
*Philine lima* (Brown, 1827) [Utriculus]  
*Philine monterosati* Monterosato, 1874 ex Jeffreys ms.  
*Philine punctata* (Adams J., 1800) [Bulla]  
*Philine striatula* Monterosato, 1874 ex Jeffreys ms.  
*Laona finmarchica* (Sars M., 1858) [Philine]  
*Laona flexuosa* Sars M., 1870  
*Laona pruinosa* (Clark, 1827) [Bullaea]  
*Johania retifera* (Forbes, 1844) [Bulla]
- Familia AGLAJIDAE Pilsbry, 1895 (1847)  
*Aglaja berrieri* (Dieuzeide, 1935) [Doridium]  
*Aglaja tricolorata* Renier, 1804  
*Chelidonura africana* Pruvot-Fold, 1953  
*Chelidonura fulvipunctata* Baba, 1938  
*Chelidonura italicica* Sordi, 1980  
*Chelidonura orchidea* Perrone, 1990  
*Melanochlamys seurati* (Vayssiére, 1926) [Doridium]  
*Philinopsis picta* (Renier, 1804) [Aglaja]
- Familia GASTROPTERIDAE Swainson, 1840  
*Gastropteron rubrum* (Rafinesque, 1814) [Sarcopterus]
- Familia DIAPHANIDAE Odhner, 1914  
*Diaphana cretica* (Forbes, 1844) [Bulla]  
*Diaphana lactea* (Jeffreys, 1877) [Utriculus]  
*Diaphana minuta* Brown, 1827  
*Colpodaspis pusilla* Sars M., 1870

- Rhinodiaphana ventricosa* (Jeffreys, 1865) [Amphisphyra]
- Familia HAMNOEIDAE Pilsbry, 1895
- Haminoea callidegenita* Gibson & Chia, 1989
  - Haminoea cyanomarginata* Heller & Thompson, 1983
  - Haminoea elegans* Leach, 1852
  - Haminoea exigua* Schaefer, 1992
  - Haminoea fusari* Alvarez, Garcia & Villani, 1993
  - Haminoea orteai* Talavera, Murillo & Templado, 1987
  - Haminoea templadoi* Garcia, Perez-Hurtado & García-Gómez, 1991
  - Atys angustatus* Smith, 1872
  - Atys blainvilliana* (Récluz, 1843) [Bulla]
  - Atys macandrewi* Smith, E.A., 1872
  - Weinkauffia turgidula* (Forbes, 1844) [Bulla]
- Familia SMARAGDINELLIDAE Thiele, 1925
- Smaragdinella algirae* (Adams A. in Sowerby G.B. II, 1850) [Bulla]
- Familia BULLIDAE Lamarck, 1801
- Bulla ampulla* Linné, 1758
  - Bulla amygdala* Dillwyn, 1817
  - Bulla roperiana* Pilsbry, 1893
- Familia RETUSIDAE Thiele, 1931
- Retusa candidula* (Locard, 1892) [Cylichna]
  - Retusa desgenettii* (Audouin, 1826) [Bulla]
  - Retusa dilatata* Pallary, 1904
  - Retusa leptoneilema* (Brusina, 1866) [Cylichna]
  - Retusa minutissima* (Monterosato, 1878 ex H. Martin ms.) [Utriculus]
  - Retusa obtusa* (Montagu, 1803) [Bulla]
  - Retusa pellucida* (Sars G.O., 1878) [Bulla]
  - Cylichnina crebrisculpta* Monterosato, 1884
  - Cylichnina girardi* (Audouin, 1826) [Bulla]
  - Cylichnina laevisculpta* (Granata-Grillo, 1877) [Cylichna]
  - Cylichnina cfr. mongii* (Audouin, 1827)
  - Cylichnina multiquadrata* (Oberling, 1970) [Retusa]
  - Cylichnina nitidula* (Lovén, 1846) [Cylichna]
  - Pyrunculus fourierii* (Audouin, 1826) [Bulla]
  - Pyrunculus ovatus* (Jeffreys, 1871) [Cylichna]
- Familia OXYNOIDAE Adams H. & A., 1854
- Oxynoe olivacea* Rafinesque, 1814
- Familia VOLVATELLIDAE Pilsbry, 1895
- Ascobulla fragilis* (Jeffreys, 1856) [Cylichna]
- Familia APLYSIIDAE Lamarck, 1809
- Aplysia (Pruvotaplysia) parvula* Guilding in Mörch, 1863
  - Aplysia (Pruvotaplysia) punctata* (Cuvier, 1803) [Laplysia]
  - Syphonota geographica* (Adams & Reeve, 1850)
- Familia DOLABRIFERIDAE Pilsbry, 1895
- Petalifera petalifera* (Rang, 1828) [Aplysia]
  - Phyllaplysia lafonti* Fischer P., 1870
- Familia NOTARCHIDAE Eales & Engels, 1935
- Notarcus punctatus* Philippi, 1836
  - Bursatella leachii* Blainville, 1817
- Familia UMBRACULIDAE Dall, 1889
- Spiricella unguicula* Rang, 1828
- Familia TYLODINIDAE Gray, 1847
- Anidolyta duebeni* (Lovén, 1846) [Tylodina]
- Familia PLEUROBRANCHIDAE De Férrussac, 1822
- Pleurobranchus forskalii* Rueppell & Leuckart, 1830
  - Pleurobranchus membranaceus* (Montagu, 1815) [Lamellaria]
  - Pleurobranchus testudinarius* Cantraine, 1835
  - Berthella aurantiaca* (Risso, 1818) [Pleurobranchus]
  - Berthella elongata* (Cantraine, 1835) [Pleurobranchus]
  - Berthella ocellata* (Delle Chiaje, 1830) [Pleurobranchus]
  - Berthella plumula* (Montagu, 1803) [Bulla]
  - Berthella stellata* (Risso, 1826) [Pleurobranchus]

- Berthellina edwardsi* (Vayssi  re 1896) [Berthella]  
*Pleurobranchaea meckelii* Meckel in Leue, 1813  
*Pleurobranchaea inconspicua* Bergh, 1897
- Familia LIMACINIDAE Gray, 1824  
*Limacina (Munthea) bulimoides* (D'Orbigny, 1836) [Atlanta]  
*Limacina (Munthea) trochiformis* (D'Orbigny, 1836) [Atlanta]  
*Limacina (Thilea) lesueurii* (D'Orbigny, 1836) [Atlanta]
- Familia CAVOLINIIDAE Gray, 1850  
*Cavolinia flava* (D'Orbigny, 1835 ex Rang ms.) [Hyalea]  
*Cavolinia gibboides* Rampal, 2002  
*Cavolinia gibbosa* (D'Orbigny, 1835 ex Rang ms.) [Hyalea]  
*Cavolinia uncinata* (Rang, 1829) [Hyalea]  
*Diacavolinia limbata* (D'Orbigny, 1836) [Hyalea]  
*Diacria quadridentata* (Lesueur, 1821) [Hyalea]  
*Diacria trispinosa* (Lesueur, 1821) [Hyalea]  
*Clio cuspidata* (Bosc, 1802) [Hyalea]  
*Creseis acicula* Rang, 1828  
*Creseis conica* Escholtz, 1829  
*Hyalocylis obtusa* Di Geronimo, 1974  
*Cuvierina columnella* (Rang, 1827) [Civieria]
- Familia PERACLIDAE Tesch, 1913  
*Peracle bispinosa* Pelseneer, 1888  
*Peracle diversa* Monterosato, 1875  
*Peracle reticulata* (D'Orbigny, 1836) [Atlanta]
- Familia CYMBULIIDAE Contraine, 1841  
*Cymbulia parvidentata* Pelseneer, 1888  
*Cymbulia peronii* Lamarck, 1819  
*Gleba cordata* Niebuhr, 1776 ex Forsk  l ms.  
*Corolla spectabilis* Dall, 1871
- Familia DESMOPTERIDAE Chun, 1889  
*Desmopterus papilio* Chun, 1889
- Familia ELLOBIIDAE Adams A., 1855  
*Auriculinella (Leucophytia) bidentata* (Montagu, 1808)  
*Myosotella denticulata* (Montagu, 1803) [Voluta]  
*Pseudomelampus kochi* (Pallary, 1900) [Alexia]
- Familia SIPHONARIIDAE Gray J.E., 1840  
*Siphonaria (Siphonaria) crenata* Blainville, 1827 \*
- Classis CEPHALOPODA Cuvier, 1798
- Familia SPIRULIDAE Rafinesque, 1815  
*Sepia officinalis* Linn  , 1758  
*Rhombosepion orbygnyana* (F  russac in D'Orbigny, 1826) [Sepia]  
*Rossia macrostoma* (Delle Chiaje, 1830) [Sepiola]  
*Neorossia caroli* (Joubin, 1902) [Rossia]
- Familia SEPIOLIDAE Leach, 1817  
*Sepiella oweni* (D'Orbigny, 1840) [Sepiola]
- Familia LOLIGINIDAE D'Orbigny, 1839  
*Loligo forbesii* Steenstrup, 1856  
*Loligo media* (Linn  , 1758) [Sepia]
- Classis BIVALVIA Linn  , 1758
- Familia NUCULIDAE Gray J.E., 1824  
*Nucula decipiens* Philippi, 1844  
*Nucula nucleus* (Linn  , 1758) [Arca]  
*Nucula recondita* Gofas & Salas, 1996  
*Nucula tumidula* Malm, 1860  
*Ennucula aegeensis* (Forbes, 1844) [Nucula]  
*Ennucula corbuloides* Seguenza G., 1877  
*Ennucula tenuis* (Montagu, 1808) [Arca]
- Familia PRISTIGLOMIDAE Sanders & Allen, 1973  
*Pristigloma minima* (Seguenza G., 1877) [Glomus]
- Familia NUCULANIDAE Adams H. & A., 1858

- Nuculana (Jupiteria) minuta* (Müller O.F., 1776) [Arca]  
*Microgloma guilonardi* (Hoeksema, 1993) [Phaseolus]  
*Microgloma pusilla* (Jeffreys, 1879) [Leda]  
*Microgloma tumidula* (Monterosato, 1880) [Silicula]  
*Ledella marisnostris* La Perna, 2004
- Familia MALLEIIDAE Adams H. & A., 1858  
*Kata desmia cuneata* (Jeffreys, 1876) [Malletia]  
*Pseudomalletia pianii* Van Aartsen & Giannuzzi-Savelli, 1991
- Familia NEILONELLIDAE Vaught, 1989  
*Neilonella striolata* (Brugnone, 1877) [Yoldia]
- Familia YOLDIIDAE Habe, 1977  
*Yoldiella messanensis* (Jeffreys, 1870 ex Seguenza G. ms.) [Leda]  
*Yoldiella nana* (Sars M., 1865) [Yoldia]  
*Yoldiella ovulum* La Perna, 2004  
*Yoldiella seguenziae* Bonfitto & Sabelli, 1995  
*Yoldiella wareni* La Perna, 2004
- Familia ARCIDAE Lamarck, 1818  
*Acar plicata* (Dillwyn, 1817) [Arca]  
*Asperarca magdalena* La Perna, 1998  
*Asperarca nodulosa* (Müller O.F., 1776) [Arca]  
*Asperarca secreta* La Perna, 1998  
*Anadara inflata* (Reeve, 1844)  
*Anadara natalensis* (Krauss, 1848) [Arca]  
*Bathyarca glacialis* (Gray J.E., 1824) [Arca]  
*Bathyarca pectunculoides* (Scacchi, 1834) [Arca]
- Familia LIMOPSIDAE Dall, 1895  
*Limopsis angusta* (Jeffreys, 1879)  
*Limopsis aurita* (Brocchi, 1814) [Arca]  
*Limopsis friedbergi* Glibert & van de Poel, 1965  
*Limopsis minuta* (Philippi, 1836) [Pectunculus]  
*Limopsis multistriata* (Forskål, 1775) [Arca]  
*Limopsis tenuis* Seguenza G., 1876
- Familia GLYCYMERIDAE Newton, 1922  
*Glycymeris arabica* (Adams H., 1870) [Axinaea]
- Familia MYTILIDAE Rafinesque, 1815  
*Mytilus edulis* Linné, 1758  
*Perna perna* (Linné, 1758) [Ostrea]  
*Septifer forskali* Dunker, 1855  
*Modiolus (Modiolus) auriculatus* Krauss, 1848  
*Modiolus (Gibbomodiola) lulat* (Dautzenberg, 1891) [Modiola]  
*Amygdalum politum* (Verrill & Smith, 1880) [Modiola]  
*Dacrydium hyalinum* Monterosato, 1875  
*Idas modiolaeformis* (Sturany, 1896) [Myrina]  
*Idasola ghisottii* Warén & Carrozza, 1990  
*Crenella arenaria* Monterosato, 1875 ex Martin H. ms.  
*Crenella pellucida* (Jeffreys, 1850) [Limopsis]  
*Gregariella semigranata* (Reeve, 1858)  
*Musculista perfragilis* (Dunker, 1857) [Volsella]  
*Musculus discors* (Linné, 1767) [Mytilus]  
*Rhomboidella prideauxi* (Leach, 1815) [Modiola]
- Familia PTERIIDAE Gray J.E., 1847 (1848)  
*Pinctada margaritifera* (Linné, 1758)  
*Electroma vexillum* (Reeve, 1857) [Avicula]
- Familia MALLEIDAE Lamarck, 1819  
*Malleus (Malvufundus) regulus* (Forskål, 1775) [Ostrea]
- Familia LIMIDAE Rafinesque, 1815  
*Lima (Lima) marioni* Fischer P., 1888  
*Acesta excavata* (Fabricius J.C., 1779) [Ostrea]  
*Limatula subauriculata* (Montagu, 1808) [Pecten]  
*Limatula subovata* (Jeffreys, 1876) [Lima]  
*Limea loscombi* (Sowerby G.B. I, 1823) [Lima]  
*Notolimea clandestina* Salas, 1994

Familia OSTREIDAE Rafinesque, 1815

- Saccostrea commercialis* (Iredale & Roughley, 1933) [Ostrea]  
*Saccostrea cucullata* (Born, 1778) [Ostrea]  
*Dendrostrea frons* (Linné, 1758) [Ostrea]

Familia PECTINIDAE Rafinesque, 1815

- Palliolum striatum* (Müller O.F., 1776) [Pecten]  
*Palliolum tigerinum* (Müller O.F., 1776) [Pecten]  
*Delectopecten vitreus* (Gmelin, 1791) [Ostrea]  
*Pseudamussium peslutrae* (Linné, 1771) [Ostrea]  
*Pseudamussium sulcatum* (Müller O.F., 1776) [Pecten]  
*Chlamys (Chlamys) lischkei* (Dunker, 1850) [Pecten]  
*Talochlamys pusio* (Linné, 1758)  
*Pecten (Pecten) maximum* (Linné, 1758) [Ostrea]

Familia PROPEAMUSSIIDAE Abbot, 1954

- Propeamussium lucidum* (Wyville-Thompson, 1873 ex Jeffreys ms.) [Pleuronectia]  
*Cyclopecten brundisiensis* Smriglio & Mariottini, 1990  
*Cyclopecten hoskynsi* (Forbes, 1844) [Pecten]

Familia SPONDYLIDAE Gray, 1826

- Spondylus (Spondylus) groschi* Lamprell & Kilburn, 1995  
*Spondylus (Spondylus) multisetosus* cfr. Reeve, 1856  
*Spondylus (Spondylus) spinosus* Schreibers, 1793

Familia ANOMIIDAE Rafinesque, 1815

- Pododesmus (Heteranomia) squamula* (Linné, 1758) [Anomia]  
*Pododesmus (Monia) glaucus* (Monterosato, 1884)  
*Pododesmus (Monia) squama* (Gmelin, 1791) [Patella]

Familia LUCINIDAE Fleming, 1828

- Loripes lucinalis* (Lamarck, 1818)  
*Megaxinus unguiculinus* Pallary, 1904  
*Myrtea amorpha* (Sturany, 1896) [Lucina]  
*Lucinoma boreale* (Linné, 1758) [Venus]  
*Lucinoma spelaeum* Palazzi & Villari, 2001  
*Divalinga arabica* Dekker & Goud, 1995

Familia THYASIRIDAE Dall, 1901

- Thyasira (Thyasira) allenii* Carozza, 1981  
*Thyasira (Thyasira) biplicata* (Philippi, 1836) [Ptychina]  
*Thyasira (Thyasira) croulinensis* (Jeffreys, 1847) [Cryptodon]  
*Thyasira (Thyasira) oblonga* (Monterosato, 1878) [Axinus]  
*Thyasira (Thyasira) obsoleta* (Verrill & Bush, 1898) [Cryptodon]  
*Thyasira (Thyasira) planata* (Jeffreys, 1882) [Axinus]  
*Thyasira (Thyasira) perplicata* Salas, 1996  
*Thyasira (Thyasira) striata* (Sturany, 1896) [Axinus]  
*Thyasira (Thyasira) subovata* Jeffreys, 1881  
*Thyasira (Thyasira) succisa* (Jeffreys, 1876) [Axinus]  
*Thyasira (Parathyasira) granulosa* (Monterosato, 1874 ex Jeffreys ms.) [Axinus]  
*Axinulus (Axinulus) cycladius* (Wood S., 1848) [Kellia]  
*Axinulus (Axinulus) dilatatus* Gaglini, 1992  
*Axinulus (Genaxinus) eumyarius* (Sars M., 1870) [Axinus]  
*Leptaxinus exintermedius* Gaglini, 1992  
*Leptaxinus incrassatus* (Jeffreys, 1876)  
*Mendicula ferruginosa* (Forbes, 1844) [Kellia]

Familia UNGULINIDAE H. & A. Adams, 1857

- Ungulina cuneata* (Spengler, 1782) [Tellina]  
*Diplodonta bogii* Aartsen J.J. Van, 2004  
*Diplodonta brocchi* (Deshayes, 1850)  
*Diplodonta intermedia* Biondi, 1859  
*Diplodonta subrotunda* cfr. Oliver, 1992

Familia GALEOMMATIDAE Gray, 1840

- Scintilla ? rotunda* (Jeffreys, 1881) [Scintilla]  
*Spaniorinus reconditus* (Fischer P., 1872) [Scintilla]  
*Vasconiella jeffreysiana* (Fischer P., 1873) [Hindsia]

Familia KELLIDAE Forbes & Hanley, 1849

- Pseudopythina macandrewi* (Fischer P., 1867) [Kellia]

Familia LASAEIDAE Gray, 1842

- Litigiella glabra* (Fischer P., 1873) [Lepton]  
*Litigiella corgani* Van Aartsen, 1997  
*Scacchia oblonga* (Philippi, 1836) [Lucina]  
*Hemilepton solidulum* (Gaglini, 1992) ex Monterosato, 1875 nn

Familia LEPTONIDAE Gray, 1847

- Potidoma substrigatum* (Fischer, 1874)  
*Semeloidea geoffroyi* (Payraudeau, 1826) [Erycina]

Familia MONTACUTIDAE Clark W., 1852

- Montacuta ferruginosa* (Montagu, 1808) [Mya]  
*Montacuta goudi* Van Aartsen, 1996 \*  
*Montacuta semirubra* (Gaglini, 1992) [Montacuta]  
*Montacuta tenella* Lovén, 1846  
*Montacuta voeringi* (Friese, 1879) [Montacuta]  
*Mioerycina coarctata* (Wood S.W., 1851) [Kellia]  
*Devonia perrieri* (Malard, 1904) [Synapticola]  
*Kelliopsis jozinae* Van Aartsen & Carrozza, 1998  
*Mysella obliquata* (Chaster, 1897) [Neolepton]  
*Mysella ovata* (Jeffreys, 1881) [Montacuta]  
*Mysella pellucida* (Jeffreys, 1881) [Montacuta]  
*Mysella tumidula* (Jeffreys, 1866) [Montacuta]  
*Epileton clarkiae* (Clark W., 1852) [Lepton]  
*Epileton divae* (van Aartsen & Carrozza, 1998)  
*Epileton parrussetensis* Giribet & Peñas, 1998

Familia SPORTELLIDAE Dall, 1899

- Basterotia physodes* (Deshayes, 1848)

Familia NEOLEPTONIDAE Thiele, 1934

- Neolepton discriminatum* Palazzi & Villari, 2001  
*Neolepton sulcatulum* (Jeffreys, 1859) [Lepton]  
*Arculus sykesii* (Chaster, 1895)

Familia CARDITIDAE Fleming, 1828

- Glans (Centrocardita) elegans* (Réquien, 1848)  
*Pteromeris (Coripia) jozinae* Van Aartsen, 1984  
*Pteromeris (Coripia) minuta* (Scacchi, 1836)

Familia CHAMIDAE Lamarck, 1809

- Chama aspersa* Reeve, 1846  
*Chama circinata* Monterosato, 1878  
*Chama pacifica* Broderip, 1834  
*Pseudochama corbieri* (Jonas, 1846) [Chama]

Familia CRASSATELLIDAE Féussac, 1822

- Crassatella planata* (Calcara, 1840)

Familia ASTARTIDAE d'Orbigny, 1814

- Digitaria digitaria* (Linné, 1758) [Tellina]  
*Goodallia micalii* Giribet & Peñas, 1999  
*Goodallia pusilla* (Forbes, 1844) [Astarte]

Familia CARDIIDAE Lamarck, 1809

- Cardium (Bucardium) indicum* Lamarck, 1818  
*Afrocardium richardi* (Audouin, 1826) [Cardium]  
*Parvicardium carozzai* Van Aartsen & Goud, 2001  
*Parvicardium scabrum* (Philippi, 1844) [Cardium]  
*Parvicardium trapezium* Cecalupo & Quadri, 1996  
*Parvicardium vroomi* Van Aartsen, Menkhorst & Gittenberger, 1984  
*Fulvia (Fulvia) australis* (Sowerby G.B. I, 1834) [Cardium]

Familia MACTRIDAE Lamarck, 1809

- Mactra lilacea* Lamarck, 1818  
*Mactra olorina* Philippi, 1846  
*Spisula elliptica gracilis* (Locard, 1890) [Mactra]  
*Lutraria (Lutraria) angustior* Philippi, 1844

Familia MESODESMATIDAE Gray, 1840

- Atactodea glabrata* (Gmelin, 1791) [Mactra]  
*Planktomya prima* (Locard, 1899) [Nesis]

Familia TELLINIDAE De Blainville, 1814

- Tellina (Angulus) valtonis* Hanley, 1844  
*Tellina (Moerella) pygmaea* Lovén, 1846  
*Tellina (Peronidia) nitida* Poli, 1791  
*Tellina (Serratina) serrata* Brocchi, 1814  
*Macoma (Macoma) balthica* (Linné, 1758) [Tellina]  
*Macoma (Psammacoma) melo* (Sowerby G.B. III, 1866) [Tellina]  
*Psammotreta (Pseudometis) praerupta* (Salisbury, 1934) [Tellina]
- Familia SCROBICULARIIDAE Adams H. & A., 1856  
*Scrobicularia rubiginosa* (Poli, 1795) [Trigonella]
- Familia SEMELIDAE Stoliczka, 1870  
*Semele striata* (Reeve, 1853 ex Rueppel ms.) [Amphidesma]  
*Abra (Abra) segmentum* (Récluz, 1843) [Syndosmya]  
*Abra (Abra) tenuis* (Montagu, 1803) [Mactra]  
*Ervilia castanea* (Montagu, 1803) [Donax]  
*Theora (Endopleura) lubrica* Gould, 1861
- Familia PSAMMOBIIDAE Fleming, 1828  
*Hiatula ruppelliana* (Reeve, 1857) [Psammotella]  
*Gari intermedia* (Deshayes, 1855) [Psammobia]  
*Gari pseudoweinkauffi* Von Cosei, 1989  
*Gari tellinella* Lamarck, 1818  
*Soletellina subradiata* (Deshayes in Reeve, 1857) [Psammotella]
- Familia SOLECURTIDAE d'Orbigny, 1846  
*Solecurtus multistriatus* (Scacchi, 1834) [Solen]
- Familia PHARIDAE H. & A. Adams, 1858  
*Ensis arcuatus* (Jeffreys, 1865) [Solen]  
*Ensis sculus* Van Urk, 1964  
*Phaxas pellucidus* (Pennant, 1777) [Solen]
- Familia DONACIDAE Fleming, 1828  
*Donax (Donax) vittatus* (Da Costa, 1778) [Cuneus]
- Familia ARCTICIDAE Newton, 1891  
*Arctica islandica* (Linné, 1767) [Venus]
- Familia TRAPEZIIDIAD Lamy, 1920  
*Trapezium oblongum* (Linné, 1758) [Chama]  
*Coralliophaga coralliophaga* (Gmelin, 1791)
- Familia VESICOMYIDAE Dall & Simpson, 1901  
*Isorropodon perplexum* Sturany, 1896
- Familia VENERIDAE Rafinesque, 1815  
*Antigona lamellaris* (Schumacher, 1817)  
*Globivenus effossa* (Philippi, 1836 ex Bivona ms.) [Venus]  
*Circenita callipyga* (Born, 1778) [Venus]  
*Gafrarium pectinatum* (Linné, 1758) [Venus]  
*Chamelea striatula* (Da Costa, 1778) [Pectunculus]  
*Mercenaria mercenaria* (Linné, 1758) [Venus]  
*Timoclea roemeriana* (Issel, 1869) [Venus]  
*Pitar mediterranea* (Dautzenberg, 1891) [Meretrix]  
*Tapes (Politapes) lucens* Locard, 1886 \*  
*Paphia (Paphia) textile* (Gmelin, 1791) [Venus]  
*Dosinia (Dosinia) erythraea* Romer, 1860  
*Clementia papyracea* (Gmelin, 1791) [Venus]
- Familia TURTONIDAE Clark, 1855  
*Turtonia minuta* (Fabricius O., 1780) [Venus]
- Familia PETRICOLIDAE Deshayes, 1839  
*Petricola (Petricolaria) pholadiformis* Lamarck, 1818  
*Petricola (Lajonkairia) substriata* (Montagu, 1808)
- Familia MYIDAE Lamarck, 1809  
*Sphenia binghami* Turton, 1822  
*Sphenia rueppellii* Adams A., 1850  
*Mya arenaria* Linné, 1758
- Familia GASTROCHAENIDAE Gray, 1840  
*Cucurbitula cymbium* (Spengler, 1783)
- Familia HIATELLIDAE Gray, 1824  
*Panopea glycimeris* (Von Born, 1778) [Mya]

- Panomya norvegica* (Spengler, 1793) [Mya]  
*Saxicavella jeffreysi* Winckworth, 1930
- Familia PHOLADIDAE Lamarck, 1809  
*Pholas callosa* Cuvier, 1817  
*Barnea (Anchomasa) parva* (Pennant, 1777) [Pholas]  
*Martesia striata* (Linné, 1758)  
*Pholadidea loscombiiana* Goodall in Turton, 1819
- Familia XYLOPHAGIDAE Purchon, 1941  
*Xylophaga praestans* Smith E.A., 1885
- Familia TEREDINIDAE Rafinesque, 1815  
*Teredo bartschi* Clapp, 1923  
*Lyrodus pedicellatus* (Quatrefages, 1849) [Teredo]  
*Psiloteredo megotara* (Hanley in Forbes & Hanley, 1848) [Teredo]  
*Psiloteredo senegalensis* (Blainville, 1824) [Teredo]  
*Teredora malleolus* (Turton, 1822) [Teredo]  
*Nototeredo norvegica* (Spengler, 1792) [Teredo]
- Familia PHOLADOMYIDAE Gray, 1847  
*Pholadomya loveni* Jeffreys, 1882
- Familia THRACIIDAE Stoliczka, 1870  
*Thracia (Thracia) gracilis* (Jeffreys, 1865)  
*Thracia (Thracia) villosiuscula* (Mac Gillivray, 1827) [Anatina]
- Familia LATERNULIDAE Hedley, 1918  
*Laternula anatina* (Linné, 1758) [Solen]
- Familia PERIPLOMATIDAE Dall, 1895  
*Cochlodesma (Bontaea) praetenua* (Pulteney, 1799) [Mya]  
*Cochlodesma (Bontaea) tenerum* (Fischer P., 1882)
- Familia LYONSIIDAE P. Fischer, 1887  
*Allogramma formosa* Jeffreys, 1882
- Familia CLAVAGELLIDAE d'Orbigny, 1844  
*Clavagella (Clavagella) balanorum* Scacchi, 1841  
*Clavagella (Clavagella) melitensis* Broderip, 1835  
*Clavagella (Bryopa) aperta* Sowerby G.B. I, 1823
- Familia POROMYIDAE Dall, 1886  
*Cetoconca neaeroides* (Seguenza G., 1877)
- Familia CUSPIDARIIDAE Dall, 1886  
*Cuspidaria (Cuspidaria) depressa* (Jeffreys, 1882)  
*Cuspidaria (Cuspidaria) elliptica* Di Geronimo, 1974  
*Cuspidaria (Cuspidaria) jugosa* (Wood S., 1856) [Neaera]  
*Cuspidaria (Cuspidaria) obesa* (Lovén, 1846) [Neaera]  
*Cuspidaria (Cuspidaria) rostrata* (Spengler, 1793) [Mya]  
*Cuspidaria (Tropidomya) abbreviata* (Forbes, 1843) [Neaera]
- Familia VERTICORDIIDAE Stoliczka, 1871  
*Verticordia (Verticordia) acuticostata* (Philippi, 1844) [Hippagus]  
*Verticordia (Verticordia) quadrata* Smith, 1885  
*Verticordia (Verticordia) trapezoidea* Seguenza G., 1876  
*Verticordia (Vertambitus) granulata* Seguenza G., 1860  
*Halicardia ferruginea* Di Geronimo, 1974  
*Polycordia gemma* (Verrill, 1880) [Lyonsiella]  
*Lyonsiella compressa* (Locard, 1898) [Mytilimeria]

## Classis SCAPHOPODA Bronn, 1862

- Familia DENTALIIDAE Gray, 1847  
*Antalis agilis* Sars M. in Sars G.O., 1872  
*Antalis entalis* (Linné, 1758) [Dentalium]  
*Antalis rossati* Caprotti, 1966  
*Antalis striolatum* (Stimpson, 1851)
- Familia GADILINIDAE Chistikov, 1975  
*Episiphon filum* (Sowerby G.B. II, 1860) [Dentalium]
- Familia GADILIDAE Stoliczka, 1868  
*Cadulus ovulum* (Philippi, 1844) [Dentalium]  
*Cadulus subfusiformis* (Sars M., 1865) [Siphonodentalium]